ELSEVIER

International Journal of
Food Microbiology 23 (1994) 479–481

International Journal
of Food Microbiology

Author index

Abdul-Raouf, U.M., Beuchat, L.R., Zhao, T. and Ammar, M.S.
Growth and verotoxin 1 production by *Escherichia coli* O157:H7 in ground roasted beef (23) 79
Ammar, M.S., see Abdul-Raouf, U.M. (23) 79
Anderson, W., see Ellison, A. (23) 467
Arling, V., see Warburton, D.W. (23) 89
Arumugaswamy, R.K., Rahamat Ali, G.R. and Hamid, S.N.B.A.
Prevalence of *Listeria monoctogenes* in foods in Malaysia (23) 117

Bagi, L.K., see Buchanan, R.L. (23) 317
Balimandawa, M., De Zutter, L., Rollier, I. and Wauters, G.
Influence of the inoculum concentration on the recovery of *Listeria* from meat by L-Palcamy enrichment (23) 227
Baranyi, J. and Roberts, T.A.
A dynamic approach to predicting bacterial growth in food (23) 277
Baranyi, J., see Gibson, A.M. (23) 419
Becker, H., Schaller, G., Von Wiese, W. and Terplan, G.
Bacillus cereus in infant foods and dried milk products (23) 1
Ben Embarek, P.K.
Presence, detection and growth of *Listeria monocytogenes* in seafoods: a review (23) 17
Berger, J.-L., see Roy, D. (23) 55
Beuchat, L.R., see Abdul-Raouf, U.M. (23) 79
Beuchat, L.R., see Deak, T. (23) 405
Bhaduri, S., Turner-Jones, C.O., Buchanan, R.L. and Phillips, J.G.
Response surface model of the effect of pH, sodium chloride and sodium nitrite on growth of *Yersinia enterocolitica* at low temperatures (23) 333
Bhudhasamai, K., see Pitt, J.I. (23) 35
Blackburn, C. de W., see McClure, P.J. (23) 265
Borch, E., see Nesbakken, T. (23) 197
Bowen, B., see Warburton, D.W. (23) 89
Buchanan, R.L. and Bagi, L.K.
Expansion of response surface models for the growth of *Escherichia coli* O157:H7 to include sodium nitrite as a variable (23) 317
Buchanan, R.L., see Bhaduri, S. (23) 333
Buchanan, R.L., see Zaika, L.L. (23) 345
Buncic, S. and Panin, J.
Presence of *Aeromonas hydrophila* in slaughtered animals (23) 221

Cole, M.B., see Ellison, A. (23) 467
Cole, M.B., see McClure, P.J. (23) 265
Cole, M.B., see McClure, P.J. (23) 359
Condón, S., see Garza, S. (23) 209
Cudjoe, K.S., Krona, R. and Olsen, E.
IMS: a new selective enrichment technique for detection of *Salmonella* in foods (23) 159
Cudjoe, K.S., Krona, R., Grøn, B. and Olsen, E.
Use of ferrous sulphate and immunomagnetic separation to recover *Salmonella enteritidis* from raw eggs (23) 149
Curtis, P.S., see McClure, P.J. (23) 265

Dalgaard, P., Ross, T., Kamperman, L., Neumeyer, K. and McMeekin, T.A.
Estimation of bacterial growth rates from turbidimetric and viable count data (23) 391
Davey, K.R.
Modelling the combined effect of temperature and pH on the rate coefficient for bacterial growth (23) 295
Davies, K.W., see McClure, P.J. (23) 359
Day, T., see Dufrenne, J. (23) 99
Deak, T. and Beuchat, L.R.
Use of indirect conductimetry to predict the growth of spoilage yeasts, with special consideration of *Zygosaccharomyces bailii* (23) 405

De Zutter, L., Le Mort, L., Janssens, M. and Wauters, G.
Short-comings of irgasan ticarcillin chlorate broth for the enrichment of *Yersinia enterocolitica* biotype 2, serotype 9 from meat (23) 231
De Zutter, L., see Balimandawa, M. (23) 227
Duffy, L.L., Vanderlinde, P.B. and Grau, F.H.
Growth of *Listeria monocytogenes* on vacuum-packed cooked meats: effects of pH, a_w, nitrite and ascorbate (23) 377
Dufrenne, J., Soentoro, P., Tatini, S., Day, T. and Notermans, S.
Characteristics of *Bacillus cereus* related to safe food production (23) 99
Dufrenne, J., Tatini, S. and Notermans, S.
Stability of spores of *Bacillus cereus* stored on silicagel (23) 111

Ellison, A., Anderson, W., Cole, M.B. and Stewart, G.S.A.B.
Modelling the thermal inactivation of *Salmonella typhimurium* using bioluminescence data (23) 467
Eyles, M.J., see Gibson, A.M. (23) 419

Garza, S., Teixidó, J.A., Sanchis, V., Viñas, I. and Condón, S.
Heat resistance of *Saccharomyces cerevisiae* strains isolated from spoiled peach puree (23) 209
Gibson, A.M., Baranyi, J., Pitt, J.I., Eyles, M.J. and Roberts, T.A.
Predicting fungal growth: the effect of water activity on *Aspergillus flavus* and related species (23) 419
Grau, F.H., see Duffy, L.L. (23) 377
Griffiths, M.W.
Predictive modelling: applications in the dairy industry (23) 305
Grøn, B., see Cudjoe, K.S. (23) 149

Hamid, S.N.B.A., see Arumugaswamy, R.K. (23) 117
Hocking, A.D., see Pitt, J.I. (23) 35

Ingham, S.C., see Venugopal, R.J. (23) 167

Janssens, M., see De Zutter, L. (23) 231
Jaspe, A., see Matias, P. (23) 215
Jones, J.E., Walker, S.J., Sutherland, J.P., Peck, M.W. and Little, C.L.
Mathematical modelling of the growth, survival and death of *Yersinia enterocolitica* (23) 433
Jones, J.E., see McClure, P.J. (23) 265

Kamperman, L., see Dalgaard, P. (23) 391
Konkle, A., see Warburton, D.W. (23) 89
Krona, R., see Cudjoe, K.S. (23) 149
Krona, R., see Cudjoe, K.S. (23) 159

Lacasse, P., see Warburton, D.W. (23) 89
Lamontagne, G., see Warburton, D.W. (23) 89
Legan, J.D., see McClure, P.J. (23) 265
Le Mort, L., see De Zutter, L. (23) 231
Little, C.L., see Jones, J.E. (23) 433

Mackenzie, J., see Warburton, D.W. (23) 89
Matias, P., Jaspe, A. and SanJose, C.
Malate and glucose in milk incubated with psychrotrophic bacteria (23) 215
Maurogenakis, F., see Samelis, J. (23) 179
McClure, P.J., Cole, M.B. and Davies, K.W.
An example of the stages in the development of a predictive mathematical model for microbial growth: the effects of NaCl, pH and temperature on the growth of *Aeromonas hydrophila* (23) 359
McClure, P.J., Blackburn, C. de W., Cole, M.B., Curtis, P.S., Jones, J.E., Legan, J.D., Ogden, I.D., Peck, M.W., Roberts, T.A., Sutherland, J.P. and Walker, S.J.
Modelling the growth, survival and death of microorganisms in foods: the UK Food Micromodel approach (23) 265
McCurdy, A.R., see Venugopal, R.J. (23) 167
McMeekin, T.A., see Dalgaard, P. (23) 391
McMeekin, T.A., see Ross, T. (23) 241
Metaxopoulos, J., see Samelis, J. (23) 179
Miscamble, B.F., see Pitt, J.I. (23) 35
Moulden, E., see Zaika, L.L. (23) 345

Nerbrink, E., see Nesbakken, T. (23) 197
Nesbakken, T., Nerbrink, E., Røtterud, O.-J. and Borch, E.
Reduction of *Yersinia enterocolitica* and *Listeria* spp. on pig carcasses by enclosure of the rectum during slaughter (23) 197
Neumeyer, K., see Dalgaard, P. (23) 391
Niemelä, S.I., see Niemi, R.M. (23) 71
Niemi, R.M. and Niemelä, S.I.
Growth of *Enterococcus*, *Lactococcus* and *Streptococcus* strains and environmental isolates in liquid media and their reactions on BEEA (23) 71
Notermans, S., see Dufrenne, J. (23) 99
Notermans, S., see Dufrenne, J. (23) 111

Ogden, I.D., see McClure, P.J. (23) 265
Olsen, E., see Cudjoe, K.S. (23) 149
Olsen, E., see Cudjoe, K.S. (23) 159

Panin, J., see Buncic, S. (23) 221
Peck, M.W., see Jones, J.E. (23) 433
Peck, M.W., see McClure, P.J. (23) 265
Phillips, J.G., see Bhaduri, S. (23) 333
Phillips, J.G., see Zaika, L.L. (23) 345
Pitt, J.I., Hocking, A.D., Bhudhasamai, K., Miscamble, B.F., Wheeler, K.A. and Tanboon-Ek, P.
The normal mycoflora of commodities from Thailand. 2. Beans, rice, small grains and other commodities (23) 35
Pitt, J.I., see Gibson, A.M. (23) 419
Plante, R., see Warburton, D.W. (23) 89

Rahamat Ali, G.R., see Arumugaswamy, R.K. (23) 117
Reichart, O.
Modelling the destruction of *Escherichia coli* on the base of reaction kinetics (23) 449
Reuter, G., see Roy, D. (23) 55
Roberts, T.A., see Baranyi, J. (23) 277
Roberts, T.A., see Gibson, A.M. (23) 419
Roberts, T.A., see McClure, P.J. (23) 265
Rollier, I., see Balimandawa, M. (23) 227
Ross, T. and McMeekin, T.A.
Predictive microbiology (23) 241
Ross, T., see Dalgaard, P. (23) 391
Røtterud, O.-J., see Nesbakken, T. (23) 197
Roy, D., Berger, J.-L. and Reuter, G.
Characterization of dairy-related *Bifidobacterium* spp. based on their β-galactosidase electrophoretic patterns (23) 55

Samelis, J., Maurogenakis, F. and Metaxopoulos, J.
Characterisation of lactic acid bacteria isolated from naturally fermented Greek dry salami (23) 179
Sanchis, V., see Garza, S. (23) 209
SanJose, C., see Matias, P. (23) 215
Sasahara, K.C., see Zottola, E.A. (23) 125
Schaller, G., see Becker, H. (23) 1
Shaw, S., see Warburton, D.W. (23) 89
Soentoro, P., see Dufrenne, J. (23) 99
Stewart, G.S.A.B., see Ellison, A. (23) 467
Sutherland, J.P., see Jones, J.E. (23) 433
Sutherland, J.P., see McClure, P.J. (23) 265

Tanboon-Ek, P., see Pitt, J.I. (23) 35
Tatini, S., see Dufrenne, J. (23) 111
Tatini, S., see Dufrenne, J. (23) 99
Teixidó, J.A., see Garza, S. (23) 209
Terplan, G., see Becker, H. (23) 1
Todd, E.C.D., see Warburton, D.W. (23) 89
Turner-Jones, C.O., see Bhaduri, S. (23) 333

Vanderlinde, P.B., see Duffy, L.L. (23) 377
Venugopal, R.J., Ingham, S.C. and McCurdy, A.R.
Identification of psychrotrophic *Micrococcaceae* spp. isolated from fresh beef stored under carbon dioxide or vacuum (23) 167
Viñas, I., see Garza, S. (23) 209
Von Wiese, W., see Becker, H. (23) 1

Walker, S.J., see Jones, J.E. (23) 433
Walker, S.J., see McClure, P.J. (23) 265
Warburton, D.W., Arling, V., Worobec, S., Mackenzie, J., Todd, E.C.D., Lacasse, P., Lamontagne, G., Plante, R., Shaw, S., Bowen, B. and Konkle, A.
A comparison study of the EF-18 agar/Hydrophobic Grid Membrane Filter (HGMF) method and the enzyme linked antibody (ELA)/HGMF method to the HPB standard method in the isolation of *Salmonella* (23) 89
Wauters, G., see Balimandawa, M. (23) 227
Wauters, G., see De Zutter, L. (23) 231
Weimer, L., see Zaika, L.L. (23) 345
Wheeler, K.A., see Pitt, J.I. (23) 35
Worobec, S., see Warburton, D.W. (23) 89

Zaika, L.L., Moulden, E., Weimer, L., Phillips, J.G. and Buchanan, R.L.
Model for the combined effects of temperature, initial pH, sodium chloride and sodium nitrite concentrations on anaerobic growth of *Shigella flexneri* (23) 345
Zhao, T., see Abdul-Raouf, U.M. (23) 79
Zottola, E.A. and Sasahara, K.C.
Microbial biofilms in the food processing industry – Should they be a concern? (23) 125

ELSEVIER

International Journal of
Food Microbiology 23 (1994) 483–484

International Journal
of Food Microbiology

Subject index

a_w, (23) 377
Adherence, (23) 125
Aerobic growth kinetics, (23) 333
Aeromonas hydrophila, (23) 221, (23) 359
Anaerobic growth kinetics, (23) 345
Aspergillus flavus, (23) 419
Attachment, (23) 125

Bacillus cereus, (23) 1, (23) 99
Bacillus cereus spores, (23) 111
Bacterial growth, (23) 277
Barley, (23) 35
Beef, (23) 79, (23) 167
Bifidobacterium, (23) 55
Biofilms, (23) 125
Bioluminescence, (23) 467
Black beans, (23) 35

Cassava, (23) 35
Cleaning and sanitizing, (23) 125
Commodities, (23) 35
Comparative/Collaborative study, (23) 89
Concentration exponent, (23) 449

Dairy industry, (23) 55
Death, (23) 265
Differential equation, (23) 277
Dried milk products, (23) 1

*Eco*O157:H7, (23) 317
Electrophoresis, (23) 55
Enclosing the rectum, (23) 197
Enrichment, (23) 227
Enterococci, (23) 71
Enterotoxin, (23) 99
Enumeration methods, (23) 71
Escherichia coli, (23) 317
Escherichia coli O157:H7, (23) 79
Eyring's theory, (23) 449

Faecal streptococci, (23) 71
Food processing, (23) 125
Foods, (23) 117
Fungal growth, (23) 419
Fungi, (23) 35

β-Galactosidase, (23) 55
Germination, (23) 99, (23) 111
Gompertz function, (23) 391
Growth, (23) 17, (23) 265, (23) 359
Growth inhibition, (23) 405
Growth rate, (23) 277, (23) 295

pH, (23) 359, (23) 377, (23) 449
Heat destruction rate, (23) 449
Heat inactivation, (23) 467
Heat resistance, (23) 99
Heat Resistance, (23) 209
Heat sensitivity, (23) 111

Immunomagnetic separation, (23) 149, (23) 159
Incidence, (23) 17
Indirect conductimetry, (23) 405
Infant foods, (23) 1
Inoculum size, (23) 227
Isolation, (23) 231
Isolation procedure, (23) 89
ITC medium, (23) 231

Kinetic models, (23) 241

Lactobacillus, (23) 179
Lag, (23) 277
Linear Arrhenius model, (23) 295
Listeria, (23) 117, (23) 227, (23) 377
Listeria monocytogenes, (23) 17
Listeria spp, (23) 197
L. monocytogenes, (23) 117, (23) 197
Logistic function, (23) 391
Low temperatures, (23) 333

Malate, (23) 215
Mathematical modelling, (23) 433, (23) 449

Maximum specific growth rate (μ_{max}), (23) 391
Maximum temperature for growth, (23) 71
Meat, (23) 221, (23) 377
Microbial growth, (23) 295
Microbiological process modelling, (23) 295
Micrococacceae, (23) 167
Milk, (23) 305
Model, (23) 265, (23) 333
Modelling, (23) 241, (23) 317, (23) 345, (23) 467
Modified atmosphere packaging, (23) 167
Mung beans, (23) 35

NaCl, (23) 359
Nitrite, (23) 317, (23) 377

L-Palcamy, (23) 227
Pathogens, (23) 305
Peach puree, (23) 209
Pig slaughtering, (23) 197
Plastic bag technique, (23) 197
Poultry, (23) 159
Predictive microbiological modelling, (23) 295
Predictive microbiology, (23) 241, (23) 295, (23) 317, (23) 333, (23) 391
Predictive modelling, (23) 265, (23) 305, (23) 359, (23) 405, (23) 419
Prevalence, (23) 17
Probability models, (23) 241
Psychrotrophic, (23) 99
Psychrotrophs, (23) 215

Rate coefficient, (23) 295
Raw eggs, (23) 149
Raw milk quality, (23) 215
Red beans, (23) 35
Response surface model, (23) 345
Rice, (23) 35

Saccharomyces cerevisiae, (23) 209
Salami, (23) 179
Salmonella, (23) 89
Salmonella enteritidis, (23) 149
Salmonella spp., (23) 159
Salmonella typhimurium, (23) 467
Seafoods, (23) 17
Selective enrichment, (23) 159
Sesame seeds, (23) 35
Shelf-life, (23) 305
Shellfish, (23) 17
Shigella flexner, (23) 345
Shrimp, (23) 17
Simulation of bacterial growth, (23) 295
Slaughtered animals, (23) 221
Soybeans, (23) 35
Spoilage yeasts, (23) 405
Stability, (23) 111
Storage, (23) 111
Survival, (23) 265

Tapioca, (23) 35
Taxonomy, (23) 179
Temperature, (23) 317, (23) 345, (23) 359
Temperature–pH effects, (23) 295
Thailand, (23) 35
Turbidimetric measurements, (23) 391

UK approach, (23) 265

Vacuum packaging, (23) 167
Verotoxin 1, (23) 79

Water activity, (23) 449
Weissella, (23) 179
Wheat, (23) 35

Yeast, (23) 209
Y. enterocolitica, (23) 197
Yersinia enterocolitica, (23) 333, (23) 433
Yersinia enterocolitica serotype 0:9, (23) 231

Zygosaccharomyces bailii, (23) 405